



HIGH PRECISION

# TOOL-A-THON<sup>®</sup>



*Come Visit Us At Our Booth 135838!*



## IMTS 2022

International Manufacturing Technology Show  
Sept. 12<sup>th</sup> - 17<sup>th</sup> | McCormick Place, Chicago IL

**Volume 22.3** | Valid Aug. 1<sup>st</sup> - Oct. 31<sup>st</sup>

[www.fowlerprecision.com](http://www.fowlerprecision.com)

## Swiss Ultra-Cal VI Digital Calipers



54-100-167-0

### Features:

- IP67 protected against fluid and dust
- Available with or without Bluetooth
- Heavy duty frame
- Extra large display
- Available with ISO Cert
- 12"/300mm is supplied without depth rod



### Calibration certificates available for all sizes

Order No.	Range	Accuracy	Resolution	List Price	Sale Price
Without Data Output					
54-100-177-0	6"/150mm	0.0008"/20 $\mu$ m	0.0005"/0.01mm	\$181.37	<b>\$164.09</b>
54-100-178-0	8"/200mm	0.0012"/30 $\mu$ m	0.0005"/0.01mm	\$372.28	<b>\$336.82</b>
54-100-179-0	12"/300mm	0.0012"/30 $\mu$ m	0.0005"/0.01mm	\$491.52	<b>\$444.70</b>
Bluetooth Models					
54-100-167-0	6"/150mm	0.0008"/20 $\mu$ m	0.0005"/0.01mm	\$430.24	<b>\$378.45</b>
54-100-168-0	8"/200mm	0.0012"/30 $\mu$ m	0.0005"/0.01mm	\$697.57	<b>\$613.61</b>
54-100-169-0	12"/300mm	0.0012"/30 $\mu$ m	0.0005"/0.01mm	\$929.45	<b>\$765.00</b>
Accessories					
54-981-713-2	Sylcom Basic Data Processing Software			\$866.12	<b>\$799.00</b>
54-115-246-BT	USB bluetooth receiver			\$53.34	<b>\$45.80</b>

## Swiss Ultra-Cal VI Digital Calipers



54-100-444-1

### Features:

- IP67 protected against fluid and dust
- Features proximity cable data output
- Heavy duty frame
- Extra large display
- 12"/300mm is supplied without depth rod



Order No.	Range	Accuracy	Resolution	List Price	Sale Price
54-100-444-1	6"/150mm	0.0008"/20 $\mu$ m	0.0005"/0.01mm	\$198.44	<b>\$179.54</b>
54-100-448-1	8"/200mm	0.0012"/30 $\mu$ m	0.0005"/0.01mm	\$410.46	<b>\$371.36</b>
54-100-412-1	12"/300mm	0.0012"/30 $\mu$ m	0.0005"/0.01mm	\$553.63	<b>\$500.91</b>
Connectivity Cables/Accessories					
54-981-713-2	Sylcom Basic Data Processing Software			\$866.12	<b>\$799.00</b>
54-115-526-0	Proximity cable with USB connection			\$214.78	<b>\$195.45</b>
54-115-527-0	Proximity cable with serial connection			\$218.91	<b>\$199.21</b>

# Swiss Ultralight IV Digital Calipers

When you have **HUGE** parts to measure, this is the caliper you need!



## Features:

- IP67 protected against fluid and dust
- Built-in Bluetooth
- Reinforced frame
- XXL display with 0.79"/20mm high digits
- Lengthened jaws 7.9"/200mm
- Includes upper ID measuring pins (5mm dia.)
- Movable left jaw
- Stainless steel titanium coated jaws
- Hold feature
- Preset function
- Min/Max functions
- Tolerance mode
- Internal and external measurement indicator



**Alternative jaws available, contact the Fowler Technical Department for more information 1-800-788-2353**

Specifications	54-110-512-0	54-110-524-0	54-110-540-0	54-110-560-0	54-110-580-0	54-110-600-0
Measuring Range	0-15"/0-400mm	0-24"/0-600mm	0-40"/0-1000mm	0-60"/0-1500mm	0-80"/0-2000mm	0-100"/0-2500mm
Maximum Error	0.0012"/30µm	0.0016"/40µm	0.002"/50µm	0.0035"/90µm	0.0048"/120µm	0.0078"/200µm
Repeatability	0.0008"/20µm			0.0012"/30µm		
Measuring Force	5 - 10 N					
Connection	Bluetooth® or Proximity Cable					
Protection Rating	IP67 (Electronic Module)					
Preset Max.	±399.9995 IN / ±9999.99 mm					
Weight	3.3 lbs/1.5 kg	3.5 lbs/1.6 kg	4.1 lbs/1.9 kg	5 lbs/2.3 kg	5.7 lbs/2.6 kg	6.3 lbs/2.9 kg

Order No.	Range	List Price	Sale Price
54-110-512-0	0 - 15" / 0 - 400mm	\$2,364.53	<b>\$2,151.72</b>
54-110-524-0	0 - 24" / 0 - 600mm	\$2,816.34	<b>\$2,562.87</b>
54-110-540-0	0 - 40" / 0 - 1000mm	\$3,243.41	<b>\$2,951.50</b>
54-110-560-0	0 - 60" / 0 - 1500mm	\$4,876.37	<b>\$4,437.50</b>
54-110-580-0	0 - 80" / 0 - 2000mm - <i>special order</i>	\$6,579.99	<b>\$5,987.79</b>
54-110-600-0	0 - 100" / 0 - 2500mm - <i>special order</i>	\$8,015.26	<b>\$7,293.89</b>
Connectivity Cables/Accessories			
54-981-713-2	Sylcom Basic Data Processing Software	\$866.12	<b>\$799.00</b>
54-115-526-0	Proximity USB Cable	\$214.78	<b>\$195.45</b>
54-115-527-0	Proximity Serial Cable	\$218.91	<b>\$199.21</b>
54-115-246-BT	USB Bluetooth Receiver	\$53.34	<b>\$45.80</b>

Prices & Specifications are subject to change without notice.

## IP67 Digital Calipers

With Smart Wireless Communication



54-100-556-BT

### Features:

- IP67 protected against fluid and dust
- Wireless connectivity for quick error free data collection
- Supplied with NIST certification
- Heavy duty frame with 4-way measuring, inside, outside, depth and step
- Super large display
- Includes fitted case, extra battery tray and a 1" setting standard

Order No.	Range	Accuracy	List Price	Sale Price
54-100-554-BT	0 - 4"/100mm	0.001"/0.02mm	\$209.98	<b>\$191.08</b>
54-100-556-BT	0 - 6"/150mm	0.001"/0.02mm	\$215.87	<b>\$195.00</b>
54-100-558-BT	0 - 8"/200mm	0.0015"/0.04mm	\$262.53	<b>\$238.90</b>
54-100-512-BT	0 - 12"/300mm	0.0015"/0.04mm	\$279.97	<b>\$255.00</b>

## XTRA-VALUE<sup>SM</sup> Plus Digital Calipers



54-103-006-0

### Features:

- IP54 protected against fluid and dust making it *great for shop environments*
- Range: 6"/150mm
- Accuracy:  $\pm 0.001"/0.02\text{mm}$
- Inch/Metric/Fraction reading: 0.0005"/0.01mm/ 1/128"
- Heavy Duty frame for extra rigidity and wear resistance
- Super large, easy to read display
- Includes fitted case

Order No.	Range	Accuracy	List Price	Sale Price
54-103-006-0	0 - 6"/150mm	0.001"/0.02mm	\$92.40	<b>\$80.00</b>
54-103-012-0	0 - 12"/300mm	0.0015"/0.03mm	\$157.54	<b>\$142.00</b>

# XTRA-VALUE CAL<sup>®</sup> Digital Calipers



54-101-150-2

**Features:**

- Stainless steel frame
- Large easy-to-read display
- Resolution: 0.0005"/0.01mm
- Absolute/Incremental Measurement
- 4-way measuring, inside, outside, depth and step
- 6" and 12" models include NIST Cert.
- Includes fitted case

Order No.	Range	Accuracy	List Price	Sale Price
54-101-150-2	6"/150mm	0.001"/0.02mm	\$59.25	<b>\$53.92</b>
54-101-200-1	8"/200mm	0.0016"/0.04mm	\$95.50	<b>\$85.00</b>
54-101-300-1	12"/300mm	0.0016"/0.04mm	\$118.27	<b>\$106.00</b>

## Poly-Cal<sup>®</sup> Digital Caliper

For non-metallic, non-abrasive applications.



**Features:**

- Lightweight polycarbonate frame
- Range: 0 - 6"/150mm
- Accuracy: 0.008"/0.2mm
- Resolution: 0.0005"/0.01mm (*Fractions by 1/64" increments*)
- Absolute/Incremental measurement
- 4-way measuring
- Supplied with clip-on vinyl pouch


Order No. 54-101-175-0

**Sale \$29.00**

List Price \$35.01



## Supreme Dial Caliper



### Features:

- 4-way measuring, inside, outside, depth and step
- Solid stainless steel construction
- Silky smooth movement throughout
- 0 - 6" range, 0.100" per revolution, 0.001" graduations
- Thumbroll for rapid setting

Order No. 52-008-006-2

**Sale \$115.00**

List Price \$176.95

## Premium Grade Dial Calipers




52-008-706-0

### Features:

- 4-way measuring, inside, outside, depth and step
- Solid stainless steel construction
- 0.100"/2mm range per revolution
- 0.001"/0.02mm reading dial face
- Tough shockproof gearing

Order No.	Range	Dial Color	Accuracy	List Price	Sale Price
52-008-706-0	0 - 6"	White	± 0.001"	\$99.75	<b>\$89.00</b>
52-008-707-0	0 - 6"	Black	± 0.001"	\$99.75	<b>\$89.00</b>
52-008-708-0	0 - 8"	White	± 0.0015"	\$119.78	<b>\$109.00</b>
52-008-712-0	0 - 12"	White	± 0.002"	\$161.05	<b>\$143.00</b>
Metric					
52-008-709-0	0 - 150mm	Yellow	± 0.02mm	\$102.84	<b>\$89.00</b>


## Dial Calipers



52-008-005-1

### Features:

- 4-way measuring for outside, inside, depths and steps
- Graduation: 0.001"
- Beam graduations: 0.100"
- Hardened stainless steel throughout with lapped measuring faces
- Satin chrome finished
- Covered rack
- Shockproof gearing



52-008-007-1

Order No.	Range	Dial Color	Accuracy	List Price	Sale Price
52-008-005-1	0 - 6"	Black	± 0.001"	\$118.92	<b>\$105.90</b>
52-008-007-1	0 - 6"	White	± 0.001"	\$118.92	<b>\$105.90</b>
52-008-008-1	0 - 8"	White	± 0.0015"	\$167.77	<b>\$149.50</b>
52-008-012-1	0 - 12"	White	± 0.002"	\$286.13	<b>\$251.00</b>

# Swiss Style Dial Caliper



**Special Tool-A-Thon Price!**

- Features:**
- Range: 0 - 12"
  - Accuracy:  $\pm 0.002$ "
  - Graduation: 0.001"
  - 4-way measurement
  - 0.1" per revolution
  - Hardened stainless steel


Order No. 52-008-013-0

**Sale \$90.00**

List Price \$210.93

## XTRA-RANGE<sup>®</sup> Dial Calipers

With full length depth rod.




52-008-018-0

- Features:**
- Graduations: 0.001"
  - Jaw depth: 3.125"
  - Stainless steel construction
  - Satin chrome finish
  - Full length depth rod
  - 0.50" internal measuring nibs on jaws

Order No.	Range	Accuracy	List Price	Sale Price
52-008-018-0	0 - 18"	$\pm 0.003$ "	\$315.42	<b>\$277.90</b>
52-008-024-0	0 - 24"	$\pm 0.003$ "	\$382.22	<b>\$335.00</b>

## XTRA-RANGE<sup>®</sup> Digital Calipers



54-100-312-0

- Features:**
- IP54 protected against fluid and dust
  - Resolution: 0.0005"/0.01mm
  - Hold feature
  - Absolute/Incremental measurement
  - Preset mode includes offset size for ID measurements
  - Both sizes feature fine adjustment

Order No.	Range	Accuracy	Jaw Depth	List Price	Sale Price
54-100-312-0	0 - 12"/300mm	$\pm 0.002$ "/0.05mm	3.5"	\$272.53	<b>\$245.00</b>
54-100-024-1	0 - 24"/600mm	$\pm 0.003$ "/0.075mm	4"	\$400.91	<b>\$360.00</b>

Calipers



# Rapid-Mic

## Quick-Displacement Electronic Micrometers

Fastest micrometer on the market!



**WORLD'S FINEST  
Micrometer!**

### Features:

- IP67 protected against fluid and dust
- Non-rotating spindle with 0.39"/10mm travel per thimble rotation
- Position recall
- Adjustable measuring force, 5N/10N (54-815-030-0 and 54-815-130-0 only)
- Menu customizable with free software
- USB output or Bluetooth available



54-815-111-0



**Calibration certificates available for all sizes.**

Order No.	Range	Accuracy	List Price	Sale Price
54-815-030-0	0 - 1.18"/0 - 30mm	0.00012"/0.003mm	\$584.28	<b>\$513.95</b>
54-815-060-0	1.18" - 2.6"/30 - 66mm	0.00016"/0.004mm	\$1,069.36	<b>\$973.12</b>
54-815-100-0	2.6" - 4.0"/66 - 102mm	0.00020"/0.005mm	\$1,322.32	<b>\$1,203.31</b>
Set				
54-815-111-0	0 - 4"/0 - 102mm		\$3,046.11	<b>\$2,640.00</b>
Bluetooth Models				
54-815-130-0	0 - 1.18"/0 - 30mm	0.00012"/0.003mm	\$998.16	<b>\$908.33</b>
54-815-160-0	1.18" - 2.6"/30 - 66mm	0.00016"/0.004mm	\$1,311.38	<b>\$1,193.36</b>
54-815-110-0	2.6" - 4.0"/66 - 102mm	0.00020"/0.005mm	\$1,553.60	<b>\$1,413.78</b>
Bluetooth Set				
54-815-112-0	0 - 4"/0 - 102mm		\$3,808.16	<b>\$3,465.43</b>
Connectivity Cables/Accessories				
54-981-713-2	Sylcom Basic Data Processing Software		\$866.12	<b>\$799.00</b>
54-115-526-0	Proximity cable with USB connection		\$214.78	<b>\$195.45</b>
54-115-527-0	Proximity cable with serial connection		\$218.91	<b>\$199.21</b>
54-115-246-BT	USB Bluetooth receiver		\$53.34	<b>\$45.80</b>



# DigiMic Electronic Micrometer

The **NEW** world standard of precision with IP67 and Bluetooth®.



**Features:**

- IP67 protected against fluid and dust
- Very High Accuracy: 0.00008"/0.002mm (0-1"/25mm)
- Bluetooth IOT ready, no dongle or cable required for SPC data collection
- Resolution: 0.00005"/0.001mm
- Super large display (0.460"/11.75mm)
- Carbide measuring surfaces, sleep and absolute modes
- Larger sizes available

**Order No. 54-816-025-0**

**Sale \$779.00**

List Price \$820.00

## XTRA-MIC PLUS+ Electronic Micrometer



**Features:**

- IP54 protected against fluid and dust
- Corrosive resistant ratchet thimble (anodized aluminum)
- Super large LCD display
- Range: 0-1"/0-25mm
- Accuracy: 0.00016"/0.004mm
- Resolution: 0.00005"/0.001mm
- Carbide tipped anvil and spindle
- SPC output
- Free ball attachment

**Order No. 54-880-001-0**

**Sale \$119.00**

List Price \$164.24

Micrometers



# XTRA-VALUE II Electronic Micrometers



54-870-001-0

#### Features:

- IP40 protected against fluid and dust
- Range: 0-1"/0-25mm
- Accuracy:  $\pm 0.00016"/0.004\text{mm}$
- Resolution:  $0.00005"/0.001\text{mm}$
- Carbide measuring faces
- Absolute and incremental modes
- Ratchet thimble
- Free ball attachment

Order No. 54-870-001-0

**Sale \$80.<sup>20</sup>**

List Price \$115.73

## Electronic Coolant Resistant 0 - 6" Micrometer Set



54-860-103-1 shown

#### Features:

- IP54 protected against fluid and dust
- Range: 0 - 6"/150mm
- Resolution:  $0.00005"/0.001\text{mm}$
- Carbide measuring faces
- Absolute & incremental modes
- Free ball attachment
- Sizes over 1"/25mm include a calibration standard

Order No. 54-860-106-1

**Sale \$950.<sup>00</sup>**

List Price \$1,266.22

# Electronic IP54 Ball-Anvil Micrometers

Measures dimensions from inside of circular holes to outside edges and obtain accurate dimensions.



54-860-113-1

**Features:**

- IP54 protected against fluid and dust
- Carbide measuring faces
- Resolution: 0.00005"/0.001mm
- Accuracy: 0.00016"/0.004mm
- Large easy-to-read LCD display

Order No.	Range	List Price	Sale Price
54-860-113-1	0 - 1"/0 - 25mm Ball Anvil & Flat Spindle	\$148.65	<b>\$125.00</b>
54-860-114-1	1 - 2"/25 - 50mm Ball Anvil & Flat Spindle	\$174.06	<b>\$147.00</b>

# Point Anvil & Spindle Micrometers

30° pointed anvil and spindle for measuring small grooves, key-ways, small flutes, and hard to reach dimensions.



54-860-661-0

**Features:**

- IP54 protected against fluid and dust
- Resolution: 0.00005"/0.001mm
- Carbide measuring points
- Absolute and incremental modes
- Ratchet thimble
- Sizes over 1"/25mm include a calibration standard

Order No.	Range	Accuracy	List Price	Sale Price
54-860-661-0	0 - 1"/0 - 25mm	± 0.00016"/0.004mm	\$215.52	<b>\$165.00</b>
54-860-662-0	1 - 2"/25 - 50mm	± 0.00016"/0.004mm	\$235.74	<b>\$190.00</b>
54-860-663-0	2 - 3"/50 - 75mm	± 0.0002"/0.005mm	\$263.69	<b>\$210.00</b>
54-860-664-0	3 - 4"/75 - 100mm	± 0.0002"/0.005mm	\$286.79	<b>\$240.00</b>

## Vernier Thread Micrometers



52-219-001-1

### Features:

- 60° measuring anvils
- Graduation: 0.001"
- Ratchet thimble
- Sizes over 1" include standard

Order No.	Range	Thread Range	Accuracy	List Price	Safe Price
52-219-001-1	0 - 1"	64 - 5 TPI/0.4 - 5mm	0.00016"	\$124.92	<b>\$113.68</b>
52-219-002-1	1" - 2"	44 - 3.5 TPI/0.6 - 7mm	0.00016"	\$137.52	<b>\$125.14</b>
52-219-003-1	2" - 3"	24 - 3.5 TPI/1 - 7mm	0.0002"	\$160.37	<b>\$145.94</b>
52-219-004-1	3" - 4"	24 - 3.5 TPI/1 - 7mm	0.0002"	\$173.66	<b>\$158.03</b>

## Electronic IP65 Thread Micrometer



### Features:

- IP65 protected against fluid and dust
- Thread range: 44 - 3.5 TPI/0.6 - 7mm
- Accuracy:  $\pm 0.00008"/0.002\text{mm}$
- 60° measuring anvils
- ABS/INC measuring mode
- Resolution:  $0.00005"/0.001\text{mm}$
- Friction thimble

Order No.	Range	Thread Range	Accuracy	List Price	Safe Price
54-219-001-0	0 - 1"	64 - 5 TPI/0.4 - 5mm	$\pm 0.00008"/0.002\text{mm}$	\$312.77	<b>\$284.62</b>
54-219-002-0	1" - 2"	44 - 3.5 TPI/0.6 - 7mm	$\pm 0.00008"/0.002\text{mm}$	\$329.02	<b>\$295.00</b>
54-219-003-0	2" - 3"	24 - 3.5 TPI/1 - 7mm	$\pm 0.00008"/0.002\text{mm}$	\$334.11	<b>\$304.00</b>
54-219-004-0	3" - 4"	24 - 3.5 TPI/1 - 7mm	$\pm 0.00012"/0.003\text{mm}$	\$348.41	<b>\$317.00</b>

## Thread Measuring Wire Set

### Features:

- NOW includes wire holders
- 48 wires in 16 different, 3 wire sets
- Accuracy for sizes 0.018" through 0.108" is within  $+0/-0.0004"$
- Accuracy for sizes 0.120" through 0.185" is within  $+0/-0.0005"$
- Measures all U.S. 60° threads from 3 - 48 threads per inch

Order No. 52-485-048-0

**Sale \$31.00**

List Price \$36.73



The disc type anvil and spindle simplifies measuring the thickness of difficult, closely spaced sections, ribs, keys, fins, cutting edges on forming tools, chordal thickness of gear teeth, etc.

## Electronic IP54 Disc Micrometers




54-860-301-0

### Features:

- IP54 protected against fluid and dust
- Resolution: 0.00005"/0.001mm
- Friction thimble for repeatability
- Extra large 0.788" disc with 0.035" edge thickness
- Easily enters hard-to-reach areas

Order No.	Range	Accuracy	List Price	Sale Price
54-860-301-0	0 - 1" / 0 - 25mm	0.00016"/0.004mm	\$319.83	<b>\$283.80</b>
54-860-302-0	1 - 2" / 25 - 50mm	0.00016"/0.004mm	\$344.24	<b>\$303.30</b>

## Digit Counter Disc Micrometers




52-250-301-1

### Features:

- Graduation: 0.0001"
- Disc diameter: 0.708"
- Disc edge thickness: 0.035"
- Ratchet thimble for repeatability

Order No.	Range	Accuracy	List Price	Sale Price
52-250-301-1	0 - 1"	0.00016"	\$192.78	<b>\$175.43</b>
52-250-302-1	1" - 2"	0.00016"	\$212.07	<b>\$192.98</b>

## Disc Micrometers



52-250-111-1

### Features:

- Anvil and spindle are hardened and precision ground with microlap finish on measuring faces
- Ratchet thimble for repeatability
- Graduations: 0.0001"

Order No.	Range	Accuracy	List Price	Sale Price
52-250-111-1	0 - 1"	0.00016"	\$128.72	<b>\$113.40</b>
52-250-112-1	1" - 2"	0.00016"	\$145.15	<b>\$132.09</b>

## Universal Electronic Micrometers



54-817-777-0

### Features:

- Non-rotating spindle
- ABS/INC measuring mode
- Resolution: 0.00005"/0.001mm
- Tolerance & preset function
- Complete with 7 anvil sets

*While supplies last!*

Order No.	Range	Accuracy	List Price	Sale Price
54-817-777-0	0 - 1" <sup>0</sup> - 25mm	0.00016"/0.004mm	\$409.61	<b>\$300.00</b>
54-817-778-0	1" - 2" <sup>0</sup> /25 - 50mm	0.00016"/0.004mm	\$465.70	<b>\$330.00</b>

## Cylindrical Tube Micrometer

Measurements can be taken at locations far from the end due to the protruded rod-anvil design.



Order No. 52-510-601-1

### Features:

- Anvil is hardened and precision ground
- Carbide tipped spindle
- Accuracy: 0.00024"
- Graduations: 0.0001"
- Ratchet thimble

**Sale \$70.00**

List Price \$82.52

## Vernier Inch Blade Micrometers



52-246-001-1

### Features:

- Anvil & spindle hardened & precision ground with microlap finish on ends
- Non-rotating spindle
- Ratchet thimble
- Blade thickness = 0.030"; blade width = 0.256"; blade penetration = 0.315"
- Sizes over 1" include a standard

Order No.	Range	Graduation	Accuracy	List Price	Sale Price
52-246-001-1	0 - 1"	0.0001"	0.00016"	\$263.04	<b>\$231.80</b>
52-246-002-1	1" - 2"	0.0001"	0.00016"	\$286.37	<b>\$252.30</b>
52-246-003-1	2" - 3"	0.0001"	0.0002"	\$298.99	<b>\$273.08</b>
52-246-004-1	3" - 4"	0.0001"	0.0002"	\$304.71	<b>\$277.29</b>

# Outside Inch Micrometers



52-240-001-1



52-215-003-1

**Features:**

- Microfine graduations on satin chrome finish and carbide tipped measuring faces
- Diameter of measuring faces: 0.256"
- Graduation: 0.0001"
- Flatness: 0.00003"
- Spindle thread hardened, ground and lapped for ultimate accuracy
- Includes a wrench and case
- Sizes over 1"/25mm include a standard

Order No.	Range	Accuracy	Thimble	List Price	<i>Sale Price</i>
52-240-001-1	0 - 1"	± 0.00016"	Friction	\$49.55	<b>\$42.47</b>
52-240-101-1	0 - 1"	± 0.00016"	Ratchet	\$49.55	<b>\$42.47</b>
52-240-002-1	1" - 2"	± 0.00016"	Friction	\$57.63	<b>\$49.40</b>
52-240-003-1	2" - 3"	± 0.0002"	Ratchet	\$67.34	<b>\$57.72</b>
52-240-004-1	3" - 4"	± 0.0002"	Ratchet	\$75.19	<b>\$64.45</b>
52-240-005-1	4" - 5"	± 0.00024"	Ratchet	\$83.28	<b>\$71.38</b>
52-240-006-1	5" - 6"	± 0.00024"	Ratchet	\$91.25	<b>\$78.21</b>
52-240-007-1	6" - 7"	± 0.00028"	Ratchet	\$99.21	<b>\$85.04</b>
52-240-008-1	7" - 8"	± 0.00028"	Ratchet	\$116.77	<b>\$100.09</b>
52-240-009-1	8" - 9"	± 0.00032"	Ratchet	\$132.71	<b>\$113.75</b>
52-240-010-1	9" - 10"	± 0.00032"	Ratchet	\$150.50	<b>\$129.00</b>
52-240-011-1	10" - 11"	± 0.00036"	Ratchet	\$166.44	<b>\$142.66</b>
52-240-012-1	11" - 12"	± 0.00036"	Ratchet	\$182.37	<b>\$156.32</b>
<b>Sets</b>					
52-215-003-1	0 - 3" with standards and fitted shop hardened case			\$172.67	<b>\$148.01</b>
52-215-004-1	0 - 4" with standards and fitted shop hardened case			\$247.40	<b>\$210.00</b>
52-215-006-1	0 - 6" with standards and fitted shop hardened case			\$419.96	<b>\$350.00</b>
52-215-012-1	0 - 12" with standards and fitted wooden case			\$1,273.16	<b>\$1,091.28</b>



## Outside Inch Micrometers




52-253-001-1

### Features:

- Carbide tipped measuring faces
- Graduation: 0.001"
- Diameter of measuring faces: 0.256"
- Anvil & spindle hardened and precision ground with microlap finish on tips
- Sizes over 1"/25mm include a standard

Order No.	Range	Accuracy	Thimble	List Price	Sale Price
52-253-001-1	0 - 1"	± 0.001"	Friction	\$41.70	<b>\$37.95</b>
52-253-101-1	0 - 1"	± 0.001"	Ratchet	\$41.70	<b>\$37.95</b>
52-253-002-1	1" - 2"	± 0.001"	Friction	\$49.55	<b>\$45.09</b>
52-253-102-1	1" - 2"	± 0.001"	Ratchet	\$49.55	<b>\$45.09</b>
52-253-003-1	2" - 3"	± 0.001"	Ratchet	\$57.63	<b>\$48.00</b>
52-253-004-1	3" - 4"	± 0.001"	Ratchet	\$67.34	<b>\$55.00</b>
52-253-005-1	4" - 5"	± 0.001"	Ratchet	\$75.19	<b>\$63.00</b>
52-253-006-1	5" - 6"	± 0.001"	Ratchet	\$83.28	<b>\$70.00</b>

## Outside Inch Micrometer Set



### Features:

- Range: 0 - 6"
- Carbide tipped measuring faces
- Graduation: 0.001"
- Diameter of measuring faces: 0.256"
- Anvil & spindle hardened and precision ground with microlap finish on tips
- Sizes over 1"/25mm include a standard


Order No. 52-253-600-1

**Sale \$310.00**

List Price \$382.31



# Digit Counter Micrometers




52-224-001-1

**Features:**

- Digital counter reads to 0.001"
- Resolution: 0.0001" (using vernier)
- Microfine graduations on satin chrome
- Carbide tipped measuring faces
- Sizes over 1 1/25mm include a standard
- Includes case

Order No.	Range	Accuracy	List Price	Sale Price
52-224-001-1	0 - 1"	0.00016"	\$135.37	<b>\$105.50</b>
52-224-002-1	1" - 2"	0.00016"	\$142.18	<b>\$98.50</b>
52-224-003-1	2" - 3"	0.0002"	\$161.93	<b>\$112.20</b>
52-224-004-1	3" - 4"	0.0002"	\$178.22	<b>\$123.50</b>
52-224-005-1	4" - 5"	0.00024"	\$188.61	<b>\$171.64</b>
52-224-006-1	5" - 6"	0.00024"	\$197.16	<b>\$179.42</b>
<b>Sets</b>				
52-224-103-0	0 - 3" set (set finished in grey enamel)		\$427.23	<b>\$296.00</b>
52-224-104-0	0 - 4" set (set finished in grey enamel)		\$605.91	<b>\$419.70</b>
52-224-220-0	0 - 75mm set (set finished in grey enamel)		\$449.87	<b>\$311.60</b>

# Interchangeable Anvil Micrometers



52-401-222-1

Fowler's Interchangeable Anvil Micrometers are very popular in machine and auto repair and for all other applications requiring a versatile micrometer.

Each micrometer is equipped with a series of easily interchangeable anvils to fulfill the ranges listed. Standards are also included to accurately verify zero location.

**Features:**


- Parallelism: 0.0004"
- Flatness: 0.00003"
- Graduations are microfine on satin chrome for easy reading
- Each anvil is fitted with an adjusting collar to set the overall dimension
- Ratchet stop
- Standards are included with each set

Order No.	Range	Graduation	Accuracy	List Price	Sale Price
52-401-221-1	0 - 6"	0.0001"	0.00024"	\$312.81	<b>\$275.60</b>
52-401-222-1	6" - 12"	0.0001"	0.00024"	\$459.39	<b>\$404.70</b>

## Depth Micrometers



52-225-110-0




52-225-116-0

### Features:

- Base surface hardened and microlapped to 0.00008"
- Ratchet thimble
- Locking clamp
- Rod diameter: 0.176"
- Includes fitted case


Order No.	Range	Graduation	Accuracy	Base Size	List Price	Sale Price
52-225-110-0	0 - 4"	0.001"	0.0002"	2.5"	\$160.89	<b>\$146.41</b>
52-225-112-0	0 - 6"	0.001"	0.0002"	2.5"	\$190.00	<b>\$172.90</b>
52-225-114-0	0 - 4"	0.001"	0.0002"	4"	\$173.83	<b>\$158.19</b>
52-225-116-0	0 - 6"	0.001"	0.0002"	4"	\$203.40	<b>\$185.09</b>
52-225-035-1	0 - 12"	0.001"	0.00028"	4"	\$409.45	<b>\$372.60</b>

## Digit Counter Depth Micrometers



### Features:

- Easy-to-read digit counter
- Microfine 0.001" graduations
- Base surface hardened and microlapped to 0.00008"
- Ratchet thimble
- Rod diameter: 0.176"
- Includes wrench and fitted case



52-225-226-0

Order No.	Range	Graduation	Base	List Price	Sale Price
52-225-176-0	0 - 6"	0.001"	2.5"	\$236.50	<b>\$215.22</b>
52-225-226-0	0 - 6"	0.001"	4"	\$262.75	<b>\$208.00</b>

# IP54 Electronic Depth Micrometer



- Features:**
- IP54 protected against fluid and dust
  - Range: 0 - 6"/150 mm
  - Resolution: 0.00005"/0.001 mm
  - Base surface hardened and microlapped to 0.00008" flatness
  - Rod diameter: 0.176"
  - Includes fitted case

Order No. 54-225-456-0

**Sale \$245.95**

List Price \$270.27

## Micrometer Stands



52-247-005-0

- Features:**
- Unique locking system adjusts micrometer stand to any position for perfect use and viewing
  - Stand folds for storage

### XTRA MAG®

- Features:**
- Holds standard 0-12" micrometers firmly to metal surfaces
  - Use at machine centers, assembly and inspection stations, steel tables and shelves
  - V-bottom for mounting on cylindrical surfaces
  - On/Off magnet switch
  - Base is 2.30" L x 1.20" W x 3.50" H



Micrometer not included

Order No.	Description	List Price	Sale Price
52-247-005-0	Folding Micrometer Stand	\$47.24	<b>\$42.99</b>
52-247-010-0	Magnetic Micrometer Stand	\$83.57	<b>\$76.05</b>

For measuring the internal diameters of tubes, bearings, slots, and more!

## Electronic IP54 Inside Micrometers




### Features:

- IP54 protected against fluid and dust
- Each gage includes appropriate setting ring for exceptional accuracy
- Resolution: 0.00005"/0.001mm
- Friction thimble
- Includes fitted case

**Includes setting ring!**

Order No.	Range	Accuracy	List Price	Sale Price
54-860-275-0	0.2 - 1.2"	0.00020"/0.005mm	\$286.21	<b>\$260.45</b>
54-860-276-0	1 - 2"	0.00024"/0.006mm	\$310.23	<b>\$282.31</b>

## Inside Micrometers




### Features:

- Measuring faces are fully hardened and precision ground
- Microlapped finished to assure exceptionally accurate readings
- Microfine graduations 0.001" on a satin chrome finish permit easy reading
- Ratchet stop thimble assures exact and repetitive readings
- Includes a setting ring and fitted case

Order No.	Range	Graduation	Accuracy	List Price	Sale Price
52-275-002-1	1.0" - 2.0"	0.001"	0.00024"	\$145.76	<b>\$138.00</b>
52-275-005-0	0.2" - 2.2"	0.001"	0.00024"	\$236.68	<b>\$215.38</b>

# Inside Micrometers



52-243-212-1

**Features:**


- Each set consists of an inside micrometer head and a series of fully hardened and lapped extension rods of different lengths all with carbide measuring faces
- Microfine graduations on satin chrome
- Positive locking nut on spindle
- Rods are all marked with appropriate length
- Accuracy: 0.00005" x (3 + L"/2)
- Graduation: 0.001"/0.01mm
- Includes a wrench, case and reference standard

Order No.	Range	List Price	Sale Price
52-243-026-1	2 - 6"	\$166.44	<b>\$158.00</b>
52-243-212-1	2 - 12"	\$217.63	<b>\$198.04</b>
52-243-220-1	2 - 20"	\$272.45	<b>\$247.93</b>
52-243-260-1	2 - 60"	\$1,408.42	<b>\$1,281.66</b>
52-243-480-1	4 - 80"	\$1,952.22	<b>\$1,776.52</b>
52-243-512-1	4 - 120"	\$3,313.19	<b>\$3,015.00</b>
52-243-705-1	50 - 300mm	\$185.50	<b>\$168.81</b>
52-243-710-1	50 - 500mm	\$232.18	<b>\$211.28</b>
52-243-715-1	50 - 1000mm	\$773.37	<b>\$703.77</b>
52-243-720-1	50 - 1500mm	\$1,451.98	<b>\$1,321.30</b>


# Telescoping Gage Sets

**Features:**

- Contact points are constructed of hardened tool steel, precision ground
- Double action rigid handle with self-centering feature for quick checking of inside measurements
- Constant spring tension for uniform feel
- 52-470-006-0 covers a measuring range of 5/16" to 6" with measurable depths of 4" to 5"
- 52-470-007-0 covers a measuring range of 5/16" to 6" with measurable depths of 12"



52-470-006-0



52-470-007-0

**12" Reach!**

Order No.	Description	List Price	Sale Price
52-470-006-0	6" Telescoping Gage Set	\$128.67	<b>\$99.00</b>
52-470-007-0	12" Telescoping Gage Set	\$154.89	<b>\$122.00</b>

# Fowler Sylvac Hi\_Cal V2 Electronic Height Gages

## Features:

- **Quick, easy recorded measurements**
- Extra low measuring force, from 0.2N
- Measure internal and external diameters, centerlines, heights, widths, depths and MIN/MAX/TIR capability
- Excellent repeatability thanks to the motorized carriage
- High reliability
- Bluetooth, USB and RS232 data outputs
- Battery life: 40 hours rechargeable during operation
- Touch sensitive probe speed for easy operation
- Base with small footprint
- Includes: protective cover, charging set, ruby ball probe Ø3mm, setting gage and calibration certificate



54-931-150-BT

**FREE 1mm Ball Probe**  
with 6"/150mm and 12"/300mm Hi\_Cal Purchase!

## NOW

**available with ISO Cert**

Contact the Fowler Sales Department 1-800-788-2353

## Accessory Probe Set




54-930-215-0

Order No.	Range	Accuracy	List Price	Sale Price
54-931-150-BT	6"/150mm	0.00013"/0.0034mm	\$6,154.11	<b>\$5,600.24</b>
54-931-150-BT-C	6"/150mm <i>with ISO/A2LA Certification</i>			<b>\$5,876.65</b>
54-931-300-BT	12"/300mm	0.00016"/0.0042mm	\$6,717.44	<b>\$6,112.87</b>
54-931-300-BT-C	12"/300mm <i>with ISO/A2LA Certification</i>			<b>\$6,498.82</b>
54-931-450-BT	17.5"/450mm	0.00020"/0.005mm	\$7,646.51	<b>\$6,958.32</b>
54-931-450-BT-C	17.5"/450mm <i>with ISO/A2LA Certification</i>			<b>\$7,302.30</b>
Accessories				
54-930-215-0	Full Probe Accessory Set		\$1,792.56	<b>\$1,631.23</b>
54-930-217-0	Basic Probe Accessory Set		\$1,016.06	<b>\$924.61</b>



54-931-300-BT



54-931-450-BT



54-930-217-0

**FREE**

**Basic Probe Set**

with 54-931-450-BT Hi\_Cal Purchase  
\$1,016.06 Value!



# Fowler Trimos V3, V4, V5 & V7 Electronic Height Gages

The Fowler Trimos V3, V4, V5 & V7 vertical measuring instruments have been developed for the most difficult workshop environments. Manufactured in Switzerland, they guarantee a robust, precise and reliable product.

## Features:

- Electronically adjustable measuring force 0.75/1.5 (N)
- Lithium-ion rechargeable batteries last up to 40 hours
- All adjustments possible without tools
- Cast iron base for optimal stability and rigidity
- Bluetooth transmitter available
- Dual probe holders (V4 - V5)
- Carriage displacement: Manual for V3 and V4 models
- **V5 includes selectable manual or motorized carriage displacement**
- **V7 features 2D measuring, parts programming, statistics, tablet style display, and higher resolution of 0.00001"/0.0001mm**
- Measures heights, diameters, perpendicularity, centerlines, Min/Max/Delta
- Resolution: 0.00005"/0.001mm
- **V3 - V5:** Repeatability (2s): 0.00008"/0.002mm (Ø 0.00016"/0.004mm)
- **V7:** Repeatability (2s): 0.00002"/0.0005mm (Ø 0.00004"/0.001mm)

## All models Include:

- Charging unit
- Measuring probe with ruby ball Ø4mm
- Probe holder elbow Ø 8mm
- Setting gage
- User's manual and test certificate

<b>V3</b>	<b>54-192-340-0</b>	<b>54-192-370-0</b>
Measuring Range	16"/407mm	28"/711mm
Range with Probe inverted	20"/508mm	31.9"/812mm
Max. Permissible Errors	0.00028"/0.007mm	0.00032"/0.008mm
Frontal Squareness Deviation	0.0004"/0.010mm	0.0006"/0.015mm
Air Cushion	NO	
<b>V4</b>	<b>54-191-440-0</b>	<b>54-191-470-0</b>
Measuring Range	16"/407mm	28"/711mm
Range with Probe inverted	28.3"/719mm	40.2"/1023mm
Max. Permissible Errors	0.0002"/0.005mm	0.00028"/0.007mm
Frontal Squareness Deviation	0.0004"/0.010mm	0.0006"/0.015mm
Air Cushion	YES	
<b>V5</b>	<b>54-199-540-0</b>	<b>54-199-570-0</b>
Measuring Range	16"/407mm	28"/711mm
Range with Probe inverted	28.3"/719mm	40.2"/1023mm
Max. Permissible Errors (µm)	2.5 + L(mm)/300	
Frontal Squareness Deviation	0.0002"/0.005mm	0.00032"/0.008mm
Air Cushion	YES	
<b>V7</b>	<b>54-199-770-0</b>	
Measuring Range	28"/711mm	
Range with Probe inverted	40"/1023mm	
Max. Permissible Errors (µm)	2.5 + L(mm)/400	
Frontal Squareness Deviation	0.00032"/0.008mm	
Air Cushion	YES	



54-192-340-0

**EXTREMELY Easy to Use!**




**54-191-440-0**

**54-199-570-0**

**54-199-770-0**

**Measures ID/OD, centerlines, heights, widths, depths, min/max/delta, slots, grooves and more!**

**Height Gages**

**NOW**

**available with ISO Cert**

Contact the Fowler Sales Department 1-800-788-2353

**\*Height Gages available up to 40", 60", 80" upon request**

Order No.	Description	Range	List Price	Sale Price
54-192-340-0	V3 Height Gage	16"/407mm	\$5,108.84	<b>\$4,649.04</b>
54-192-370-0	V3 Height Gage	28"/711mm	\$5,632.70	<b>\$5,125.76</b>
54-191-440-0	V4 Height Gage	16"/407mm	\$6,729.51	<b>\$6,123.85</b>
54-191-470-0	V4 Height Gage	28"/711mm	\$7,828.55	<b>\$7,123.98</b>
54-199-540-0	V5 Height Gage	16"/407mm	\$7,416.81	<b>\$6,749.30</b>
54-199-570-0	V5 Height Gage	28"/711mm	\$8,789.19	<b>\$7,998.16</b>
54-199-770-0	V7 Height Gage	28"/711mm	\$12,047.57	<b>\$11,300.00</b>
<b>Probe Sets</b>				
54-199-105-0	4mm Probe Set, 21 piece		\$1,965.49	<b>\$1,788.60</b>
54-199-106-0	8mm Probe Set, 16 piece		\$1,466.68	<b>\$1,334.68</b>
54-199-107-0	8mm Basic Probe Set, 7 piece		\$520.73	<b>\$473.86</b>
<b>Accessories</b>				
54-199-400-0	12"/300mm Holder - for 8mm probes		\$1,100.26	<b>\$1,001.24</b>
54-199-022-BT	Bluetooth transmitter for (Not available for V3 models)		\$729.00	<b>\$663.39</b>
54-777-120-0	Vmux software - for connecting multiple units to one PC		\$502.74	<b>\$457.49</b>

## Tool Set 300 Presetter



Used for the quick checking of heights and diameters (radii) of various types of machine tools. Accuracy is guaranteed by a precise steel measuring column and displacement devices in X and Z coordinates utilizing constant measuring force.

### Tool Holding Spindle

Tool presetter is supplied with high precision tool pot (Grade 0)

- ISO 50 taper
- Less than 0.00008"/0.002mm concentricity error



### Features:

- Measuring range: (X)11.8"/300mm, (Z)15.7"/400mm
- Min/Max functions for TIR readings
- 2 reference indications
- Preset and Tolerance value inputs
- Radius or diameter indication on X-axis display
- Resolution: 0.00005"/0.001mm
- Floating zero function anywhere within axis range
- Carbide measuring insert for durability
- Counter balanced measuring carriage
- Constant measuring force in both axes
- **High precision Swiss measuring system**

Order No.	Description	List Price	<i>Safe Price</i>
54-188-300-0	Tool Presetter	\$11,651.42	<b>\$10,602.79</b>
54-121-005-0	ISO 50/40 Tool Pot Adapter	\$811.02	<b>\$772.00</b>
54-121-015-0	ISO 50/30 Tool Pot Adapter	\$1,011.42	<b>\$920.39</b>
54-188-333-0	ISO 50 Setting Gage	\$672.00	<b>\$640.00</b>
54-188-335-0	ISO 40 Setting Gage	\$1,192.91	<b>\$1,136.00</b>

# Z-HEIGHT Electronic Height Gages

## Features:

- Base design with painted enamel finish has a more comfortable grip and is finely ground and lapped for smooth movement on surface plates
- Fine adjust feature allows precise adjustment to required settings
- Preset feature allows setting pre-determined or reference measurements
- Indicator holding bar included
- Resolution 0.0005"/0.01mm
- Floating zero
- Large, high contrast LCD display
- Coarse adjustment hand wheel
- Carriage locking lever
- Carbide tipped scriber



54-175-024-0

Order No.	Range	Accuracy	List Price	Sale Price
54-175-012-0	12"/300mm	± 0.0015"/0.04mm	\$630.97	<b>\$560.00</b>
54-175-018-0	18"/500mm	± 0.002"/0.05mm	\$750.99	<b>\$683.40</b>
54-175-024-0	24"/600mm	± 0.002"/0.05mm	\$845.33	<b>\$769.25</b>

## Twin Beam Electronic Height Gages with Offset Scriber

## Features:

- Updated electronic and mechanical design with offset scriber offers better accuracy and movement of carriage
- Base is ground and lapped for flatness
- Handwheel provides coarse and fine movement
- Carbide tipped scriber
- Functions include preset, in/mm conversion and ABS/INC for direct or comparative measuring

54-174-212-3




Order No.	Range	Accuracy	List Price	Sale Price
54-174-212-3	12"/300mm	± 0.0016"/0.04mm	\$576.58	<b>\$524.69</b>
54-174-224-3	24"/600mm	± 0.002"/0.05mm	\$807.11	<b>\$734.47</b>
Accessory				
54-174-226-0	Contact sensor - For contact indication		\$33.08	<b>\$30.10</b>

## Twin Beam Dial Height Gage

## Features:

- Range: 24"/600mm
- Accuracy: ± 0.002"/0.05mm
- Separate digit counters register both upward & downward travel
- Zero setting can be obtained throughout the gage's range
- Coarse readings in 0.100" graduations: fine readings taken on indicator are 0.001"
- Dual chrome plated beams
- Carbide-tipped scriber.
- Base is hardened, ground & lapped for maximum flatness

Order No. 52-174-224-0



**Sale \$524.<sup>69</sup>**

List Price \$576.58

# Fowler Sylvac Multimode Electronic Test Indicators

The Fowler QuadraTest is the perfect solution for test indicating applications

## Features:

- Bluetooth connectivity to your phone or tablet
- IP65 protected against fluid and dust
- 4 measuring modes: Min, Max, TIR and Direct
- 4 measuring resolutions - 0.00005"/0.001mm or 0.0005"/0.01mm
- 1-1/2" diameter dial face rotates a full 360°
- Analog scale for reversal point indication
- Meets or exceeds DIN/ISO Standards (Maximum error on 0.00005" scale at full range: 0.0004")
- 54-562-890-BT is capable of interchanging contact point lengths



54-562-777-BT



Order No.	Range	Contact Point Length	List Price	Sale Price
54-562-777-BT	0.030"/0.80mm	1/2"	\$622.23	<b>\$566.23</b>
54-562-888-BT	0.080"/2.0mm	1-7/16"	\$703.75	<b>\$640.41</b>
54-562-890-BT	0.030"/0.80mm	1/2"	\$766.26	<b>\$697.30</b>
	0.080"/2.0mm	1-7/16"		
Accessories				
54-981-713-2	Sylcom Basic Data Processing Software		\$866.12	<b>\$799.00</b>
54-115-528-0	USB Power Cable		\$345.44	<b>\$314.35</b>

## Fowler Mini S\_Dial Indicators

Small in size BIG in features!

### Features:

- Bluetooth connectivity to your phone or tablet
- IP67 protected against fluid and dust
- All indicators feature 0.50"/12.5mm range
- Analog scale for reversal point indication (Bluetooth® models only)
- 3/8" mounting diameter with 4-48 contact thread
- Auto power off feature
- Optional cable connectivity output



54-520-687-BT



54-520-692-0

\*Basic models feature only simple functions.

Order No.	Accuracy	Resolution	List Price	Sale Price
Bluetooth Models				
54-520-687-BT	0.0004"/0.01mm	0.0005"/0.01mm	\$633.10	<b>\$576.12</b>
54-520-690-BT	0.0002"/0.005mm	0.00005"/0.001mm	\$803.09	<b>\$730.81</b>
Basic Models				
54-520-691-0	0.0004"/0.01mm	0.0005"/0.01mm	\$464.95	<b>\$423.10</b>
54-520-692-0	0.0002"/0.005mm	0.00005"/0.001mm	\$641.93	<b>\$584.16</b>
Accessories				
54-981-713-2	Sylcom Basic Data Processing Software		\$866.12	<b>\$799.00</b>
54-115-528-0	USB Power Cable		\$345.44	<b>\$314.35</b>

# Fowler Mark VI Electronic Indicators

## Features:

- IP54 protected against fluid and dust
- Repeatability: 0.00008"/0.002mm
- Output: Proximity/Power - USB/RS232/digimatic/Wireless
- Menus customizable with free software
- Wide range of functions (MIN/MAX/DELTA, TOL, Factor, Preset, Auto Off, etc)
- Bezel rotates 270°
- Large display with LED tolerance indicators
- Includes lug back



54-530-535-0

54-530-335-0



*Calibration certificates available for all sizes*

Order No.	Range	Accuracy	Resolution	List Price	Sale Price
<b>Low Resolution</b>					
54-530-125-0	0 - 0.500"/12.5mm	0.0004"/0.01mm	0.0005"/0.01mm	\$538.01	<b>\$489.59</b>
54-530-145-0	0 - 1"/25mm	0.0004"/0.01mm	0.0005"/0.01mm	\$614.09	<b>\$558.82</b>
<b>High Resolution</b>					
54-530-135-0	0 - 0.500"/12.5mm	0.00012"/0.003mm	0.00005"/0.001mm	\$665.70	<b>\$605.79</b>
54-530-155-0	0 - 1"/25mm	0.00016"/0.004mm	0.00005"/0.001mm	\$728.21	<b>\$662.67</b>
54-530-175-0	0 - 2"/50mm	0.00019"/0.005mm	0.00005"/0.001mm	\$1,277.09	<b>\$1,162.15</b>
<b>Bluetooth</b>					
54-530-335-0	0 - 0.500"/12.5mm	0.00012"/0.003mm	0.00005"/0.001mm	\$842.34	<b>\$766.53</b>
54-530-355-0	0 - 1"/25mm	0.00016"/0.004mm	0.00005"/0.001mm	\$899.39	<b>\$818.44</b>
<b>NANO with Bluetooth</b>					
54-530-635-0	0 - 0.500"/12.5mm	0.00007"/0.0018mm	0.00001"/0.0001mm	\$1,224.37	<b>\$1,114.18</b>
54-530-640-0	0 - 1"/25mm	0.00008"/0.0022mm	0.00001"/0.0001mm	\$1,334.34	<b>\$1,214.25</b>
<b>Special TAT 22.3 Pricing!</b>					
<b>With Analog Bar Graph</b>					
54-530-535-0	0 - 0.500"/12.5mm	0.00012"/0.003mm	0.00005"/0.001mm	\$725.27	<b>\$500.00</b>
54-530-555-0	0 - 1"/25mm	0.00016"/0.004mm	0.00005"/0.001mm	\$792.97	<b>\$530.00</b>
<b>Accessories</b>					
54-981-713-2	Sylcom Basic Data Processing Software			\$866.12	<b>\$799.00</b>
54-115-246-BT	USB Bluetooth Receiver			\$53.34	<b>\$45.80</b>

# INDI-X<sup>®</sup> BT

## Electronic Indicators



54-520-285-0

54-520-280-0

### Features:

- Wireless communication to most phones and tablets
- Resolution 0.00005"/0.001mm
- Inexpensive bluetooth option
- Includes lifting hook, ceramic ball contact point, 2 specialty contact points, NIST cert., lug and flat backs

Order No.	Range	Accuracy	List Price	Sale Price
54-520-280-0	0 - 1"/25mm	0.00035"/0.008mm	\$180.39	<b>\$165.00</b>
54-520-285-0	0 - 0.50"/12.5mm	0.00030"/0.007mm	\$174.44	<b>\$158.00</b>

# INDI-MAX<sup>®</sup>

## Electronic Indicators

### Features:

- IP54 protected against fluid and dust
- Accuracy: 0.00016"/0.004mm (to 1")
- Resolution 0.00005"/0.001mm
- 2-1/4" dial face
- Tolerance indicators for setting specs.
- Absolute/incremental reading
- 3/8" stem - 4-48 thread
- Auto Off feature
- Lugback on 0.5" model included



Stand not included



54-520-310-0

54-520-320-0

**Carbide-tipped points!**

Order No.	Range	List Price	Sale Price
54-520-310-0	1"/25mm Indi-Max	\$508.91	<b>\$410.00</b>
54-520-320-0	2"/50mm Indi-Max	\$660.61	<b>\$550.00</b>

**Features:**

- Accuracy:  $\pm 0.001"/0.03\text{mm}$
- Resolution  $0.0005"/0.01\text{mm}$
- 54-520-260-0 also reads 1/64ths
- 2-1/4" dial face
- Lugback and 3/8" stem mountings
- Tolerance function
- Absolute/incremental reading
- Floating zero



54-520-255-0



54-520-260-0

Order No.	Range	List Price	Sale Price
54-520-255-0	0.50"/12.5mm	\$120.35	<b>\$91.70</b>
54-520-250-0	1"/25mm	\$129.48	<b>\$105.00</b>
54-520-260-0	1"/25mm	\$131.44	<b>\$102.50</b>

## Small Face Electronic Indicator

**Features:**

- Range: 0 - 0.50"/0 - 12.5mm
- Accuracy:  $\pm 0.0008"/0.02\text{mm}$
- Resolution:  $0.0005"/0.01\text{mm}$
- 1.76" dial face
- Carbide tip
- Contains flat and center lug backs
- Includes NIST certification and fitted case

Order No. 54-520-275-0

**Sale \$101.73**



List Price \$133.52

## IP65 HIGH Resolution Electronic Indicator

**Features:**

- IP65 protected against fluid and dust making it *great for shop environments*
- Range: 1"/25mm
- Accuracy:  $\pm 0.0002"/0.005\text{mm}$
- Resolution:  $0.00005"/0.001\text{mm}$
- Carbide tip
- Tolerance function
- Contains flat and center lug backs
- Includes NIST certification and fitted case

Order No. 54-520-270-0

**Sale \$135.08**



List Price \$177.29

## Premium Dial Indicators

### Features:

- AGD group 2
- Jeweled movement
- Tolerance markers
- Solid steel housing
- Carbide contact point
- Includes NIST Certification



52-520-135-0



52-520-105-0



52-520-120-0

Order No.	Range	Graduation	Reading	Balanced Reading	Dial Color	List Price	Sale Price
52-520-135-0	0.05"	0.0001"	0 - 10	0 - 5 - 0	White	\$193.74	<b>\$147.00</b>
52-520-105-0	0.50"	0.001"	0 - 100	0 - 50 - 0	White	\$102.56	<b>\$78.14</b>
52-520-110-1	1"	0.001"	0 - 100	—	Black	\$108.45	<b>\$86.75</b>
52-520-110-2	1"	0.001"	0 - 100	—	White	\$108.45	<b>\$86.75</b>
52-520-125-0	0.250"	0.0005"	0 - 100	—	White	\$143.10	<b>\$109.03</b>
52-520-129-0	1"	0.0005"	0 - 50	0 - 25 - 0	White	\$131.09	<b>\$99.88</b>
52-520-300-0	10mm	0.01mm	0 - 100	0 - 50 - 0	White	\$123.82	<b>\$94.34</b>
52-520-500-0	25mm	0.01mm	0 - 100	0 - 50 - 0	White	\$165.05	<b>\$120.00</b>

## Premium IP54 Shockproof Dial Indicators

### Features:

- IP54 protected against fluid and dust
- Includes both center lug back and flat back
- Steel housing
- Sealed plunger, dust-cap and back plate
- Carbide contact point
- 0 - 100 dial reading with rev. counter
- Includes NIST Certification



52-520-460-0



52-520-465-0

Order No.	Range	Graduation	Reading	Contact Point	List Price	Sale Price
52-520-460-0	1"	0.001"	0 - 100	4 - 48 (3/8" stem)	\$117.69	<b>\$95.00</b>
52-520-465-0	1"	0.001"	0 - 100	4 - 48 (3/8" stem)	\$117.69	<b>\$95.00</b>

## Dial Indicator

### Features:

- Range: 1"
- AGD group 2
- Graduations: 0.001"
- Continuous reading: 0 - 100
- Supplied with lug backs positioned through 90° increments
- Carbide tipped contact points
- Microfine graduations in black for continuous readings and red for balanced readings

Order No. 52-520-110-0

**Sale \$78.<sup>60</sup>**

List Price \$86.80





# X-TEST® Horizontal & Vertical Indicators

## Features:

- Super smooth jeweled movement
- Smooth bezel adjustment for easy zero setting
- Solid brass anti-magnetic housing
- 0.080" and 0.120" carbide ball contact points (0.040" steel ball)
- 0.060" range with auto reverse and rev. counter
- Easy to read tilted dial
- 5/32" pivotable stem



52-562-005-0



52-562-001-0



52-562-002-BD Shown

Order No.	Graduation	Dial Size	Dial Reading	List Price	Sale Price
<b>Horizontal</b>					
52-562-001-0	0.0005"	1-1/2"	0 - 15 - 0	\$154.42	<b>\$140.52</b>
52-562-001-BD	0.0005"	1-1/2"	0 - 15 - 0	\$154.42	<b>\$140.52</b>
52-562-002-0	0.0005"	1"	0 - 15 - 0	\$154.42	<b>\$140.52</b>
52-562-003-0	0.001"	1"	0 - 15 - 0	\$154.42	<b>\$140.52</b>
52-562-008-0	0.01mm	38mm	0 - 40 - 0	\$154.42	<b>\$140.52</b>
<b>Vertical</b>					
52-562-004-0	0.0005"	1-1/2"	0 - 15 - 0	\$169.09	<b>\$131.80</b>
52-562-005-0	0.0005"	1"	0 - 15 - 0	\$169.09	<b>\$131.80</b>

## IP65 Coolant Proof Test Indicators

### Features:

- IP65 protected against fluid and dust
- Range: 0.030"
- Reading: 0 - 15 - 0
- Graduations: 0.0005"
- Auto reversing
- Jeweled movement
- 3 dovetail mountings
- Includes 3 contact points, 2 dovetail stems and fitted case



Single jointed holder included



52-562-792-0

Order No.	Dial Size	Dial Color	List Price	Sale Price
52-562-790-0	1"	White	\$178.02	<b>\$155.00</b>
52-562-791-0	1"	Black	\$178.02	<b>\$155.00</b>
52-562-792-0	1-1/2"	White	\$178.02	<b>\$155.00</b>
52-562-793-0	1-1/2"	Black	\$178.02	<b>\$155.00</b>

## mini-MAG II

The mini-MAG II Protractors provides instant 360° digital inclination display of any angle.



### Features:

- Accuracy:  $\pm 0.2^\circ$
- Resolution: 0.05°
- Measuring range: 360° (4 x 90°)
- Embedded magnets
- Display automatically inverts
- On/off, tilt %, light, zero functions
- Dimensions: 2.375" x 1.375" x 2.375"
- Hold feature
- Zero function

Order No. 54-422-460-0

**Sale \$100.00**

## mini-MAG PLUS

The Mini-Mag PLUS Protractor features a USB rechargeable battery, a backlit display, Tilt % function and IP54 protection against water, oil, and fluids.



### Features:

- IP54 protected against fluid and dust
- Accuracy:  $\pm 0.2^\circ$
- Resolution: 0.05°
- Measuring range: 360° (4 x 90°)
- Embedded magnets
- Display automatically inverts
- Auto off after 5 minutes
- Smaller size: 2.12" x 2.12" x 0.9"
- Hold feature
- Zero function

Order No. 54-422-500-0

**Sale \$105.00**

## Combination Squares



### Features:

- Blades are chrome plated, fully hardened and tempered
- 4 piece includes: square, protractor and center heads with 12" blade
- 2 piece includes: square head and 12" blade
- Square head has level and scribe point
- Double indexed protractor is graduated 180° in both directions
- Graduated in 8ths, 16ths, 32nds and 64ths

Order No.	Description	List Price	Sale Price
52-370-012-0	4 pc.	\$248.33	<b>\$189.20</b>
52-373-012-0	2 pc.	\$159.82	<b>\$121.77</b>

## 6" Cylindrical Squares



### Features:

- Used for checking squares, height gages and other instruments
- Hardened and the ends are lapped to 90° angular accuracy
- 6" cylindrical squares:  $\pm 0.0001''$

Order No. 52-750-006-0

**Sale \$219.97**

# QUICK CHECK

## Multi-Function Check Standard



### Check

- ✓ Height Gages
- ✓ Micrometers
- ✓ Depth Gages
- ✓ Bore Gages
- ✓ Test & Dial Indicators
- ✓ Caliper Gages
- ✓ Protractors & more ....

#### Features:

- All sizes marked are actual
- Accuracy of indicated values  $\pm 0.00012"$
- One compact, multi-function, precise standard
- Can be used to check and verify a multitude of measuring instruments
- Supplied with a manufacturer's test certificate and fitted wood case

Order No. 53-813-015-0

**Sale \$1,793.48**

List Price \$1,970.86

## SHOP-BLOX<sup>®</sup>

### Rectangular Gage Block Sets



53-672-081-0

#### Features:

- Manufactured to meet Federal Specification ASME B89. 1.9 - 2002 tolerances on length for inch gage blocks
- Certificate of Calibration traceable to NIST
- Tolerances to  $\pm 0.00005"$
- In high-quality fitted wood case

Order No.	Description	List Price	Sale Price
53-672-036-0	36 pc.	\$386.86	<b>\$310.00</b>
53-672-081-0	81 pc.	\$661.69	<b>\$535.00</b>

## Grade 0 Rectangular Steel Gage Block Set



53-670-038-0

#### Features:

- 36 piece
- Grade 0
- Certificate of Calibration traceable to N.I.S.T.
- Each block is individually serialized
- Sizes clearly marked on each block
- Complete with fitted wooden case

Order No. 53-670-038-0

**Sale \$510.00**

## X-BLOX® V-Block Set

2 each @:

- Dimensions: 1-1/2" L x 1-1/4" W x 1-1/4" H
- Work capacity: Approximately 1"

2 each @:

- Dimensions: 2" L x 1-1/2" W x 1-1/2" H
- Work capacity: 1-1/2"

All feature:

- Surfaces are square and parallel within 0.0005"
- V-grooves are square and parallel with all surfaces within 0.0005"
- Corresponding dimensions for each pair are alike within 0.0005"



Order No. 52-475-500-0

**Sale \$142.<sup>31</sup>**

List Price \$156.39

## Adjustable V-Block

A precision ground angle block that is ideal for drilling, milling, grinding and set-up tasks.

Features:

- Hardened to 50-55 HRC and precision ground
- 3.75" L x 1.75" W x 2" H and offers approximately 1.75" work space
- Angular accuracy:  $\pm 10$  sec
- Squareness within 0.0002"




Order No. 52-585-090-0

**Sale \$245.<sup>00</sup>**

List Price \$285.66

## Toolmaker's Vise

Toolmaker's Vise makes precision holding possible for inspection, precision jig boring, milling and grinding.



Features:

- Maximum opening: 2.48"
- Dimensions: 6.1" x 1.9" x 2.0"
- Features solid base and front jaw construction.
- Parallelism and squareness accuracy: 0.0004"
- Clamping slots on the bottom of the base easily affix to angle plates, vises, etc.



Order No. 52-466-000-1

**Sale \$195.<sup>00</sup>**

List Price \$231.00

## Parallel Set

### Features:

- 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2" & 1-5/8" heights, 6" lengths
- Absolute heights are nominal
- Hardness: 50 HRC, 6" length and 1/8" thickness
- Parallelism:  $\pm 0.0002"$
- Paired Height:  $\pm 0.001"$




Order No. 52-437-000-0

**Sale \$257.<sup>60</sup>**

List Price \$292.32

## 1-2-3, 2-3-4 & 2-4-6 Blocks

Useful in layout and grinding work.



52-439-234-0

### Features:

- 23 holes for easy clamping
- Sold in pairs
- Hardened 56 - 60 HRC

Order No.	Description	Accuracy	List Price	Sale Price
52-439-031-0	1-2-3 Blocks	$\pm 0.0002"/1"$	\$111.11	<b>\$84.66</b>
52-439-234-0	2-3-4 Blocks	$\pm 0.0003"/1"$	\$115.50	<b>\$105.11</b>
52-439-246-0	2-4-6 Blocks	$\pm 0.0003"/1"$	\$262.07	<b>\$199.67</b>

## Carbide Super Scriber



### Features:

- Lightweight
- Retractable carbide tip
- Knurled grip
- Machined aluminum body
- Pocket clip

Order No.	Description	Overall Length	List Price	Sale Price
52-500-050-0	Carbide Super Scriber	6.5"	\$39.91	<b>\$36.32</b>
52-500-055-0	Carbide Refill		\$12.01	<b>\$10.93</b>

## Weight & Counting Scale



### Features:

- Accurately measures weights and quantities
- Use for counting large batches of small parts
- Measure weights up to 66 lbs./30 kg.
- Removable stainless steel weighing pan and durable ABS housing
- Converts pounds, ounces, grams, kilograms
- Internal battery with 100 hours of use
- Front panel leveling indicator with adjustable leveling feet
- 3 panel backlit LCD display indicates weight, average piece weight and count

**Measures up to 66 lbs.!**



Order No. 54-750-030-0

**Sale \$170.00**

List Price \$178.50

## Deluxe Stereo Microscope

An excellent, high quality optical system in a small body with both top and bottom illumination.

### Features:

- Wide field eyepieces are mounted in 45° inclined eye tube with interpupillary distance adjustable from 2 to 3" (50 to 75mm)
- Sharp image definition
- Two sets of paired objectives. 2X and 4X mounted in 180° revolving turret with positive click stop - parfocal and parcentered
- Two 3.5"(95mm) stage plates provided. (Reversible white/black and clear.)
- Rack and pinion focusing
- Dust cover included
- Pair of rubber eye cups included



Eyepiece	Objective	Magnification	Working Distance	Field of View
10X	2X	20X	3.15"/80mm	0.40"/10mm
10X	4X	40X	2.24"/57mm	0.20"/5mm

Order No. 53-640-902-0

**Sale \$540.00**

List Price \$676.45

# X-PRO™

## Portable Roughness Tester II



54-410-500-0

### Features:

- Small, compact size
- 2 selectable parameters: Ra and Rz
- Large LCD display
- Meets ISO and DIN standards
- NIST traceable specimen included
- Uses 9 volt battery (approx. 3000 measurements)
- Includes fitted case

The X-Pro Portable Roughness Tester II can be used for various applications by selecting from a variety of accessories including special application probes and a swivel stand.

RS232 data output is available on additional models (contact the Fowler technical department for more information 1-800-788-2353)



(X-Pro shown with optional stand with swivel)

### X-Pro Portable Roughness Tester II

Order No.	Description	List Price	Sale Price
54-410-500-0	Portable Surface Roughness Tester 0.0004" probe (NIST specifications)	\$2,199.94	<b>\$2,001.95</b>
54-410-600-0	Portable Surface Roughness Tester 0.0002" probe (DIN specifications)	\$2,199.94	<b>\$2,001.95</b>

### X-Pro Portable Roughness Tester II Stand with Swivel

Order No.	Description	List Price	Sale Price
54-400-896-0	Stand with Swivel Attachment	\$529.85	<b>\$482.16</b>

### X-Pro Portable Roughness Tester II Probes and Accessories

Order No.	Description	Resolution	List Price	Sale Price
54-400-319-0	General Purpose Probe	0.0004"	\$864.00	<b>\$786.24</b>
54-400-326-0	General Purpose Probe	0.0002"	\$864.00	<b>\$786.24</b>
54-420-321-0	Small Bore Probe	0.0004"	\$956.58	<b>\$870.49</b>
54-420-327-0	Small Bore Probe	0.0002"	\$956.58	<b>\$870.49</b>
54-420-301-0	Traverse Chisel Probe	0.0004"	\$956.58	<b>\$870.49</b>
54-420-302-0	Parallel Chisel Probe	0.0004"	\$956.58	<b>\$870.49</b>
54-420-328-0	Groove Bottom Probe	0.0004"	\$956.58	<b>\$870.49</b>
54-420-120-0	AC Adapter Kit		\$78.77	<b>\$61.40</b>

# Z-CHECK 65 PLUS+

## Z-Axis Tool Setter

### Features:

- Supplied with zero reference setting block
- IP65 protected against fluid and dust
- Back light turns on when zero reference is achieved
- 4 magnets embedded into base
- 2" default setting height
- Steel contact surface with 0.0002" flatness
- Resolution: 0.00005"/0.001mm
- Repeatability: 0.00015"/0.004mm
- Accuracy: 0.0001"/0.003mm
- Includes a rugged, aluminum fitted case



Order No. 54-188-200-0

**Sale \$122.76**

List Price \$134.90

## HIGH Accuracy Z-Axis Detectors



54-188-140-0


*For use in CNC machines and other applications where high accuracy is required!*




### Features:

- IP67 protected against fluid and dust
- High accuracy and repeatability,  $\pm 0.000039"/0.001\text{mm}$
- Carbide touch surface (0.196"/5mm)
- High precision bearing guide system for long life
- Interchangeable magnetic base
- High visibility LED indicator
- Movement stroke 0.078"/2mm
- Battery life approximately 250 hours (on time)

54-188-140-0



54-188-150-0



Order No.	Model	Dimensions	List Price	Sale Price
54-188-150-0	Inch	Height: 2"/50.8mm, Dia. 0.97"/24.638mm	\$289.78	<b>\$250.00</b>
54-188-140-0	Metric	Height: 1.57"/40mm, Dia. 0.78"/20mm	\$289.78	<b>\$250.00</b>



# Chip Resistant Tool Setter

Easy and affordable way to set Z depths quickly and accurately!

**Special Tool-A-Thon Price!**



Slowly lower cutting tool toward Tool Setter



Indicator will light up upon contact!

**Features:**

- Can be operated directly off table or from machine vise
- Aluminum contact face eliminates carbide chipping on cutting tools
- Works on any conductive materials
- Repeatability: 0.0002"
- Block dimensions: 1" x 2" x 3" (nominal)
- Batteries included

Order No. 54-575-750-0

**Sale \$65.00**

List Price \$123.70

## Electronic Edge Finders

**Features:**

- Six equally spaced light ports provide visibility at any angle
- Edge finder lights instantly when stylus touches work edge
- Repeatability: 0.0002"
- Works on any conductive metal



54-575-600-0

Solid Tip



54-575-650-0

Spring Loaded

Along with light indication, model #54-575-650-0 emits an audible "beep" at time of contact

Order No.	Stylus	Shank	Audible	List Price	Sale Price
54-575-600-0	0.200"	1/2"	NO	\$44.10	<b>\$40.13</b>
54-575-650-0	0.400"	3/4"	YES	\$152.25	<b>\$138.55</b>

# XTENDER Electronic Bore Gage Set with Carbide Anvils

Industry's two most popular bore gage ranges combined in one easy-to-use electronic set!

Preset size of master for absolute reading and use minimum hold feature to lock on the bore size as the gage is rocked in the part to be measured.



#### Bore Gage features:

- Range: 1.4"-6"/35mm-150mm
- Carbide anvils
- Self-centering

#### Indicator features:

- Bar graph and numeric digital display
- Preset with recall
- ABS/INC measurement
- Min/Max/TIR



Order No.	Range	Resolution	List Price	Sale Price
54-646-401-0	1.4 - 6"/35 - 150mm	0.00005"/0.001mm	\$396.63	<b>\$335.00</b>
Extensions				
52-646-450-0	20" depth extension		\$102.17	<b>\$92.97</b>
52-646-475-0	40" depth extension		\$131.41	<b>\$119.58</b>

## Dial Bore Gage Sets



52-646-100-0

#### Features:

- Carbide Anvils
- Easy-to-read
- Great value
- Graduation: 0.0005" or 0.01mm
- Insulated grip
- 9.5" depth
- Chrome plated handle

# XTENDER



52-646-400-0

Order No.	Range	Graduation	List Price	Sale Price
52-646-100-0	0.7" - 1.5"	0.0005"	\$182.72	<b>\$142.40</b>
52-646-400-0	1.4" - 6"	0.0005"	\$229.61	<b>\$179.00</b>
52-646-500-0	1.4" - 6"	0.0001"	\$298.10	<b>\$262.70</b>
52-646-220-0	35 - 60mm	0.01mm	\$261.48	<b>\$230.40</b>
Extensions				
52-646-450-0	20" depth extension	<i>*Not for use with 52-646-100-0</i>	\$102.17	<b>\$92.97</b>
52-646-475-0	40" depth extension	<i>*Not for use with 52-646-100-0</i>	\$131.41	<b>\$119.58</b>

# XTENDER-**F** PLUS+

## Bore Gage Set

Fitted with a Sylvac Lifetime Warranty electronic indicator (54-530-535-0)

### Features:

- IP54 protected against fluid and dust
- Range: 1.4 - 6"/35-150mm
- Resolution: 0.00005"/0.001mm
- Analog scale for reversal point detection
- IP54 rated indicator
- Carbide tipped anvils
- Min/Max/TIR readings



Order No. 54-646-535-0

**Sale \$725.00**

List Price \$875.50

## 2" to 6" Right Angle Dial Bore Gage

*For measuring difficult-to-reach bores in tight or inconveniently located spaces.*

### Features:

- Carbide anvils
- Great value
- Graduation: 0.0005"
- Insulated grip
- Fitted case



Order No. 52-646-250-0

**Sale \$299.00**

List Price \$350.43

# Internal & External Electronic Caliper Gages




54-554-611-0



54-554-711-0

### Features:

- Accuracy:  $\pm 0.0008''/\pm 0.02\text{mm}$
- Resolution:  $0.0002''/0.005\text{mm}$
- Analog scale for reversal point indication
- Large, LCD display
- Preset capability
- Absolute/Incremental measurements
- High-impact, aircraft aluminum case
- Rugged housing



### Dimensions for Internal Calipers

Metric	Inch	L	S	H	Tip Radius
5-15mm	0.2-0.6"	20mm	1.0mm	1.5mm	0.3mm
5-25mm	0.2-1.0"	35mm	1mm	1.5mm	0.3mm
10-30mm	0.4-1.2"	55mm	2mm	3.5mm	0.5mm
20-40mm	0.8-1.6"	80mm	3mm	6.5mm	0.5mm
30-50mm	1.2-2.0"	80mm	3mm	8.5mm	0.5mm

### Dimensions for External Calipers

Metric	Inch	L	S	H	Tip Radius
0-10mm	0-0.4"	40mm	3mm	8mm	0.5mm
0-20mm	0-0.8"	80mm	6.5mm	25mm	0.75mm
10-30mm	0.4-1.2"	80mm	6.5mm	25mm	0.75mm
20-40mm	0.8-1.6"	80mm	6.5mm	25mm	0.75mm
30-50mm	1.2-2.0"	80mm	6.5mm	25mm	0.75mm

Order No.	Range	List Price	Sale Price
<b>Internal Caliper Gages</b>			
54-554-611-0	0.200" - 0.590"/5 - 15mm	\$223.84	<b>\$200.00</b>
54-554-622-0	0.200" - 1"/5 - 25mm	\$240.01	<b>\$215.00</b>
54-554-623-0	0.400" - 1.2"/10 - 30mm	\$251.21	<b>\$228.60</b>
54-554-624-0	0.790" - 1.6"/20 - 40mm	\$251.21	<b>\$228.60</b>
54-554-625-0	1.2" - 2"/30 - 50mm	\$251.21	<b>\$228.60</b>
<b>External Caliper Gages</b>			
54-554-711-0	0 - 0.400"/0 - 10mm	\$223.84	<b>\$200.00</b>
54-554-722-0	0 - 0.790"/0 - 20mm	\$240.01	<b>\$215.00</b>
54-554-723-0	0.4" - 1.2"/10 - 30mm	\$251.21	<b>\$228.60</b>
54-554-724-0	0.790" - 1.6"/20 - 40mm	\$251.21	<b>\$228.60</b>
54-554-725-0	1.2" - 2"/30 - 50mm	\$251.21	<b>\$228.60</b>

## XTRA-VALUE Internal Electronic Caliper Gage



### Features:

- Accuracy:  $0.01''/0.3\text{mm}/1/64\text{ths}$
- Reading:  $0.01''/0.1\text{mm}/1/64\text{ths}$
- Range: 0.5 - 6"/12.7 - 150mm
- Robust housing
- LCD display
- Spring loaded with locking nut

Order No. 54-554-730-0

**Sale \$47.00**

List Price \$61.10

# Fowler Bowers XT-Series Holemikes

The Fowler Bowers range of mechanical three point bore micrometers are now available as XT extended travel holemikes, allowing a wide measurement range without the need to interchange anvils.



52-255-316-0

## Features:

- 3-pt contact with tungsten carbide measuring anvils above 0.5"
- Blind bore measuring heads featured above 0.5"
- Ratchet stop for consistent measuring
- Includes UKAS certificates for all Holemikes and setting rings



**BOWERS GROUP**



Order No.	Range	Grads.	Meas. Accuracy	Ring Depth	Ring Included	List Price	Sale Price
52-255-310-0	0.250" - 0.312"	0.00025"	0.00015"	2.28"	0.312"	\$804.92	<del>\$596.24</del>
52-255-311-0	0.312" - 0.375"	0.00025"	0.00015"	2.28"	0.312"	\$745.31	<del>\$552.08</del>
52-255-312-0	0.375" - 0.500"	0.00025"	0.00015"	2.28"	0.5"	\$745.31	<del>\$552.08</del>
52-255-313-0	0.500" - 0.625"	0.00025"	0.00015"	2.44"	0.5"	\$745.31	<del>\$552.08</del>
52-255-314-0	0.625" - 0.750"	0.00025"	0.00015"	2.44"	0.75"	\$764.32	<del>\$566.16</del>
52-255-315-0	0.750" - 1"	0.00025"	0.00015"	2.60"	0.75"	\$839.38	<del>\$621.76</del>
52-255-316-0	1" - 1.375"	0.00025"	0.00015"	2.60"	1.375"	\$1,195.99	<del>\$885.92</del>
52-255-317-0	1.375" - 2"	0.00025"	0.00015"	3.15"	1.375"	\$1,224.50	<del>\$907.04</del>
52-255-318-0	2" - 2.625"	0.00025"	0.0002"	3.15"	2.625"	\$1,460.70	<del>\$1,082.00</del>
52-255-319-0	2.625" - 3.250"	0.00025"	0.0002"	3.15"	2.625"	\$1,473.77	<del>\$1,091.68</del>
52-255-320-0	3.250" - 4"	0.00025"	0.0002"	3.94"	3.25"	\$1,838.59	<del>\$1,361.92</del>
Sets							
52-255-565-0	0.250" - 0.375"			2 heads, 2 handles, 1 ring		\$1,787.29	<del>\$1,323.92</del>
52-255-665-0	0.375" - 0.750"			3 heads, 3 handles, 2 rings		\$2,035.26	<del>\$1,507.60</del>
52-255-775-0	0.750" - 2"			3 heads, 3 handles, 2 rings		\$3,197.88	<del>\$2,368.80</del>
52-255-885-0	2" - 4"			3 heads, 3 handles, 2 rings		\$4,335.23	<del>\$3,211.28</del>

## Bore Gage Setting Master Kits - Inch & Metric

Fowler's Bore Gage Setting Master Kit is used for accurately setting any 2 point cylinder bore gage up to 6"/150mm in diameter to an accuracy of 0.0001"/0.003mm

### Each Set includes: Setting Device

- Base anvil: 3.950" x 1.050"
- Adjustable anvil 2.375" x 1.375" (two each)
- Internal capacity: 6"/150mm
- Centralizer capacity width: 2.750"
- Quick-release holder for fast adjustment

### Economy Gage Block Sets

#### Inch model:

- 36 piece
- Tolerances to .00005"
- Certificate of Calibration to NIST

#### Metric model:

- 33 piece
- AS-2 grade
- Certificate of Calibration to NIST

Bore gage shown not included

### Includes:

**Bore gage setting master and gage block set!  
All in a custom-fitted case!**



Order No.	Description	List Price	Sale Price
53-646-000-1	Inch Bore Gage Setting Master Kit	\$432.27	<del>\$393.37</del>
53-646-010-0	Metric Bore Gage Setting Master Kit	\$383.81	<del>\$349.27</del>
53-646-005-0	Bore Gage Setting Master Kit - <i>without</i> Gage Blocks	\$267.19	<del>\$243.14</del>

Prices & Specifications are subject to change without notice.

# Fowler Bowers Bore Gaging Systems

*Fastest, most consistent hole measurement available world wide!*



*Pistol grip design significantly decreases measuring time*

*Measure cylinder bores, high accuracy bearings, grooves, threads and much more!*



*Traditional style ratchet stop thimble*



**BOWERS GROUP**



**FREE  
TABLET!**

*with Complete Set Purchase!*

**Both styles feature:**

- IP67 protected against fluid and dust
- Resolution: 0.00005"/0.001mm
- Bluetooth connectivity to your phone or tablet
- Self centering 3 point heads above 0.250"
- Tungsten carbide measuring faces on all 3-point heads from 0.5"/12.5mm and up
- Sizes over 0.500"/12.5mm feature blind bore capability
- Includes UKAS certificates for all pistol grip, heads and rings

# Special application heads operate with either style handle

Contact the Fowler Technical Department 1-800-788-2353

22.3

Internal & External Measuring

Fowler



Order No.	Range	Includes	List Price	Sale Price
<b>Pistol Grip Individual Sets - 3 point heads</b>				
54-567-720-BT	0.750" - 1" / 20 - 25mm	1 head, 1 handle, 1 ring	\$2,693.43	<b>\$2,451.00</b>
54-567-725-BT	1" - 1.375" / 25 - 35mm	1 head, 1 handle, 1 ring	\$2,908.32	<b>\$2,646.00</b>
54-567-735-BT	1.375" - 2" / 35 - 50mm	1 head, 1 handle, 1 ring	\$2,985.81	<b>\$2,717.00</b>
<b>Pistol Grip Sets - 2 point heads</b>				
54-567-009-BT	0.080" - 0.250" / 2 - 6mm	5 heads, 1 handle, 3 rings	\$6,828.52	<b>\$6,213.95</b>
54-567-010-BT	0.250" - 0.375" / 6 - 10mm	2 heads, 1 handle, 1 ring	\$2,677.54	<b>\$2,436.56</b>
54-567-020-BT	0.375" - 0.750" / 10 - 20mm	3 heads, 1 handle, 2 rings	\$3,132.43	<b>\$2,465.40</b>
54-567-050-BT	0.750" - 2" / 20 - 50mm	3 heads, 1 handle, 2 rings	\$4,044.60	<b>\$3,680.59</b>
54-567-100-BT	2" - 4" / 50 - 100mm	3 heads, 1 handle, 2 rings	\$4,501.87	<b>\$3,543.20</b>
54-567-105-BT	4" - 6" / 100 - 150mm	2 heads, 1 handle, 1 ring	\$4,044.60	<b>\$3,680.59</b>
54-567-110-BT	6" - 8" / 150 - 200mm	2 heads, 1 handle, 1 ring	\$5,338.76	<b>\$4,858.27</b>
54-567-200-BT	4" - 8" / 100 - 200mm	4 heads, 1 handle, 2 rings	\$8,450.24	<b>\$7,689.72</b>
54-567-210-BT	0.750" - 4" / 20 - 100mm	6 heads, 1 handle, 4 rings	\$6,581.95	<b>\$5,989.57</b>
54-567-620-BT	0.250" - 0.750" / 6 - 20mm	5 heads, 1 handle, 3 rings	\$3,733.24	<b>\$2,938.20</b>
<b>Holemikie Sets (Traditional style) - 2 point heads</b>				
54-367-000-BT	0.080" - 0.250" / 2 - 6mm	5 heads, 1 handle, 3 rings	\$6,223.18	<b>\$4,704.70</b>
54-367-010-BT	0.250" - 0.375" / 6 - 10mm	2 heads, 1 handle, 1 ring	\$2,592.97	<b>\$1,918.60</b>
54-367-020-BT	0.375" - 0.750" / 10 - 20mm	3 heads, 1 handle, 2 rings	\$3,094.20	<b>\$2,815.72</b>
54-367-050-BT	0.750" - 2" / 20 - 50mm	3 heads, 1 handle, 2 rings	\$4,202.06	<b>\$3,823.87</b>
54-367-100-BT	2" - 4" / 50 - 100mm	3 heads, 1 handle, 2 rings	\$4,652.32	<b>\$4,233.61</b>
54-367-105-BT	4" - 6" / 100 - 150mm	2 heads, 1 handle, 1 ring	\$3,927.64	<b>\$2,943.40</b>
54-367-110-BT	6" - 8" / 150 - 200mm	2 heads, 1 handle, 1 ring	\$5,188.21	<b>\$3,910.00</b>
54-367-200-BT	4" - 8" / 100 - 200mm	4 heads, 1 handle, 2 rings	\$8,197.96	<b>\$7,460.14</b>
<b>Connectivity Cables/Accessory</b>				
54-115-526-0	Proximity cable with USB connection		\$214.78	<b>\$195.45</b>
54-115-527-0	Proximity cable with serial connection		\$218.91	<b>\$199.21</b>
54-115-246-BT	USB bluetooth receiver		\$53.34	<b>\$45.80</b>

Prices & Specifications are subject to change without notice.



HIGH PRECISION

**Headquarters**

780 Dedham Street • Canton • Massachusetts 02021  
(800) 788-2353 • (617) 332-4137 fax  
sales@fowlerprecision.com • www.fowlerprecision.com

**Distribution Center & Showroom**

28010 Industry Drive  
Valencia, California 91355  
(415) 633-5354

*Find us on social media*

